







MTL 300 BL - ATEX EXPLOSION PROOF



PACKAGIN



PLASTICS



ADDITIVE MANUFACTURING









- ✓ Compact and mobile
- ✓ Easy filter replacement
- \checkmark Stainless steel AISI304 collection tank
- ✓ Earth grounding
- $\checkmark\,$ Easy to clean and to maintain

- ✓ ATEX-certified Z22
- ✓ Motor with very long service life
- Maximum safety thanks to the three levels of air filtration
- ✓ Accessory kit included

SUCTION	UNIT		
Atex zones			ATEX Z22
Marking			Ex II 3D Ex tc IIIB T135°C X Dc
Voltage		V - Hz	230 - 50 1~
Power		kW	1,1
Max waterlift		mmH2O	2.250
Max air flow		m³/h	215
Suction inlet		mm	50
Noise level (EN ISO	3744)	dB(A)	74
Motor cooling filter		CAT	2x E10
Air exhaust filter		CAT	E10
FILTER UN	NIT		
Filter Type			Star
Surface - Diameter		cm²-mm	4.000 - 360
Material - Efficiency	,	IEC 60335-2-69	Polyester - ANT M
COLLECT	ION UNIT		
Capacity		lt.	40
VOLUME			
		·	

cm

Dimensions

Weight

44x42x78h

25





SUCTION UNIT

The motor head is equipped with a Brushless motor: the lack of carbons allows the use of the machine even in explosive hazardous areas. The motor is protected by a series of filters and it is turned on by an independent switch placed on a soundproofed and robust metal motor head.

The motor head includes a vacuum gauge and tension power lights as standard.



FILTER UNIT

The large surface star antistatic filter, located inside the filter chamber, is made of polyester and provides high resistance against clogging and passage of fine dust. A vacuum gauge enables to check constantly the state of the filter and detect possible clogging, warning the operator that the filter must be cleaned.



COLLECTION UNIT

The vacuumed material is placed inside an AISI304 stainless steel drop-down bin mounted on wheels, which makes it possible to dispose easily and safely of the vacuumed material.



OPTIONALS

- ABSOLUTE HEPA FILTER
- OTHER VOLTAGES AND FREQUENCIES AVAILABLE UPON REQUEST