

ATEX

ATEX 1st Party Certified
CE II 3D
Ex tc IIIB T200°C Dc IP6X

ESD Safe Vacuum Systems for Hazardous Locations are designed to prevent ignition hazards. We use metal parts or Static Dissipative Powder Coating to prevent Electrostatic Discharge (ESD)



Characteristics



HEPA - Included



High Filtration Efficiency Unit



Detachable Tank



Dry Recovery



Dual Motor



Static Dissipating



SS 430



SD Accessories - Included

- Ideal for housekeeping and general cleaning
- Dual bypass/dual speed heavy duty motors. 2000W (2400 max.)
- Includes 5 HEPA filters. Class H14. Individually factory tested
- Manual Reverse Purge (MRP) with static dissipative reverse purge cartridge
- Closing of the gate valve and purge system both done with one hand
- Detachable recovery tank (DT) for easy disposal of recovered materials
- Material to be recovered within a conductive poly liner recovery bag for easy disposal
- Front mounted 28" (71 cm) floor tool is ideal for larger surfaces in hazardous locations/areas - optional

Specifications

4D-35L EX DT MRP HEPA	113302B
Model Name	4D-35L EX DT MRP HEPA
Type (Powerhead)	Electric
Voltage	240 V
Hertz	50 Hz
Phase	Single
Wattage	2100 W
Power	2.1 kW
Amperage	10 A
Air Flow	375 m ³ /h
Vacuum Pressure	2180 mm H ₂ O
Plug Type	Not Included
Suction Inlet	50 mm
Cart Type	Detachable Tank (DT)
Filter Cleaning	Manual Reverse Purge (MRP)
Dry Recovery - Tank	35 L
Cord Length	10.6 m

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



4D-35LEX Suspended Powerhead



4D-35LEX DT MRP HEPA with Recovery Tank removed



4D-35LEX DT with optional Front Mounted Floor Brush (MRP version shown)



HEPA Filter with Safety Filter - Included



Conductive Polyliner Recovery Bag - Included



Conductive Aluminized Spun Bond Reverse Purge Cartridge (shown with and without optional skirt) - Included



Safety Filter and Cage for Reverse Purge Cartridge Filter - Included



Ø2" (Ø50 mm) Static Dissipative Tools and Accessories (Bulk Wand) - Included