

### European Headquarters

**Tiger-Vac Europa S.R.L.**  
Via Marie Curie 17  
Zona Industriale Ponte Rizzoli  
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)  
Fax: ((39) 051 4695077)  
Website: <http://www.tiger-vac.eu>  
Email: [info@tiger-vac.it](mailto:info@tiger-vac.it)

### International Headquarters

**Tiger-Vac International Inc.**  
2020 Dagenais Blvd. Ouest  
Laval, Quebec  
Canada H7L 5W2

Tel: (450-625-0099)  
Fax: (450-625-3388)  
Website: <http://www.tiger-vac.com>  
Email: [sales@tiger-vac.com](mailto:sales@tiger-vac.com)



**ATEX** 3rd Party Certified  
CE 0081 II 2GD  
Ex d IIA T3 Gb  
Ex t IIIC T200°C Db IP6X  
**LCIE 03 ATEX 6297**



**GUARANTEED** for the Safe Recovery of Combustible/Conductive Dusts and Flammable Liquids

**ESD Safe** Vacuum Systems for Hazardous Locations are designed to prevent ignition hazards.

We use metal parts or Static Dissipative Powder Coating to prevent Electrostatic Discharge (ESD)



## Specifications for EXP1-15 to 55 (TC) TE SERIES

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank
<b>EXP1-15 (TC) TE</b>	<b>110253B</b>	230 V	50 Hz	Single	1000 W	1 kW	4.5 A	224 m <sup>3</sup> /h	1550 mm H <sub>2</sub> O	Not Included	38 L
	Dimensions: H99 cm x W69 cm x L76 cm    Weight: 54 kg.    Sound Level: 78/85 dB(A)										
<b>EXP1-25 (TC) TE</b>	<b>110256B</b>	230 V	50 Hz	Single	1000 W	1 kW	4.5 A	224 m <sup>3</sup> /h	1550 mm H <sub>2</sub> O	Not Included	56.8 L
	Dimensions: H109 cm x W69 cm x L76 cm    Weight: 47 kg.    Sound Level: 78/85 dB(A)										
<b>EXP1-55 (TC) TE</b>	<b>110261B</b>	230 V	50 Hz	Single	1000 W	1 kW	4.5 A	224 m <sup>3</sup> /h	1550 mm H <sub>2</sub> O	Not Included	151 L
	Dimensions: H127 cm x W76 cm x L102 cm    Weight: 68 kg.    Sound Level: 78/85 dB(A)										

Please note that specifications are subject to change without notice

## Technical Sheet for EXP1-15 to 55 (TC) TE SERIES

FILTERS AND ACCESSORIES - Included	
Part #	Description
213433	STAINLESS STEEL MESH FILTER w/CLAMP FOR SS/EXP1-xx TE SERIES
STRAINER BASKET FOR MODELS EXP1-15/25 (TC) TE - Included	
Part #	Description
211795	STRAINER BASKET -STAINLESS STEEL (10,15&25 GALLON)
STRAINER BASKET FOR MODEL EXP1-55 (TC) TE - Included	
Part #	Description
211796	STRAINER BASKET -STAINLESS STEEL (55 GALLON)
EXHAUST FILTRATION - Optional	
Part #	Description
211047	EXHAUST CONNECTOR ASSEMBLY WITH Ø2"(50mm) x 5'(1.5m) EXHAUST HOSE

ACTIVATED CARBON CARTRIDGE AND ACCESSORIES FOR MODEL EXP1-15 (TC) TE - Optional	
Part #	Description
211046A	ASSEMBLED STAINLESS STEEL HOUSING BOX WITH ACTIVATED CARBON FILTER
211026A	STAINLESS STEEL HOUSING BOX FOR HEPA/CARBON FILTER WITH HOSE FOR 15 GAL VAC(FILTER SOLD SEPARATELY)
211045	ACTIVATED CARBON FILTER CARTRIDGE (SQUARE)

ACTIVATED CARBON CARTRIDGE AND ACCESSORIES FOR MODEL EXP1-25 (TC) TE - Optional	
Part #	Description
211046B	ASSEMBLED STAINLESS STEEL HOUSING BOX WITH ACTIVATED CARBON FILTER
211026B	STAINLESS STEEL HOUSING BOX FOR HEPA/CARBON FILTER WITH HOSE FOR 25 GAL VAC (FILTER SOLD SEPARATELY)
211045	ACTIVATED CARBON FILTER CARTRIDGE (SQUARE)

ACTIVATED CARBON CARTRIDGE AND ACCESSORIES FOR MODEL EXP1-55 (TC) TE - Optional	
Part #	Description
211046C	ASSEMBLED STAINLESS STEEL HOUSING BOX WITH ACTIVATED CARBON FILTER
211026C	STAINLESS STEEL HOUSING BOX FOR HEPA/CARBON FILTER WITH HOSE FOR 55 GAL VAC (FILTER SOLD SEPARATELY)
211045	ACTIVATED CARBON FILTER CARTRIDGE (SQUARE)

TOOLS AND ACCESSORIES FOR MODELS EXP1-15/25 (TC) TE - Included	
Part #	Description
381100	NITRILE DEFUELING SUCTION HOSE ASSEMBLY,SD*, Ø0.75"(19mm)x25'(7.5m) FOR Ø1.5"(38mm) CAMLOCK INTAKE -
211065B	MULTIMETER

TOOLS AND ACCESSORIES FOR MODEL EXP1-55 (TC) TE - Included	
Part #	Description
500126	NITRILE DEFUELING SUCTION HOSE ASSEMBLY SD* Ø0.75"(19mm)x25'(7.5m) FOR Ø2"(50mm) CAMLOCK INTAKE -ALU
211065B	MULTIMETER

TOOLS AND ACCESSORIES FOR MODELS EXP1-15/25 (TC) TE - REQUIRED IN ORDER TO CLEAN UP SPILLS OFF OF THE FLOOR - Optional	
Part #	Description
381050	NITRILE SUCTION HOSE ASSEMBLY, SD*, Ø1.5"(38mm)x10'(3m) FOR Ø1.5"(38mm) CAMLOCK INTAKE -ALUMINUM
381364	DOUBLE BEND WAND ASSEMBLY (2pc) 1.5"(38mm) x 54"(137cm), STAINLESS STEEL w/ALUMINUM TOOL COUPLING
381236	UNIVERSAL TOOL SD* w/CONDUCTIVE BRUSH STRIPS, RUBBER BLADES, BRASS AXLE & WHEELS, 1.5" x18",ALUMINUM
381188	CREVICE TOOL SD*, 1.5" (38mm) x 11" (28cm), ALUMINUM
381190	CONICAL NOZZLE ASSEMBLY, 6" (15cm) NITRILE
381219	CONICAL NOZZLE ASSEMBLY 21"(53cm), NITRILE

TOOLS AND ACCESSORIES FOR MODEL EXP1-55 (TC) TE - REQUIRED IN ORDER TO CLEAN UP SPILLS OFF OF THE FLOOR - Optional	
Part #	Description
381121	NITRILE SUCTION HOSE ASSEMBLY, SD* Ø1.5"(38mm)x10'(3m) FOR Ø2"(50mm) CAMLOCK INTAKE -ALUMINUM
381364	DOUBLE BEND WAND ASSEMBLY (2pc) 1.5"(38mm) x 54"(137cm), STAINLESS STEEL w/ALUMINUM TOOL COUPLING
381236	UNIVERSAL TOOL SD* w/CONDUCTIVE BRUSH STRIPS, RUBBER BLADES, BRASS AXLE & WHEELS, 1.5" x18",ALUMINUM
381188	CREVICE TOOL SD*, 1.5" (38mm) x 11" (28cm), ALUMINUM
381190	CONICAL NOZZLE ASSEMBLY, 6" (15cm) NITRILE
381219	CONICAL NOZZLE ASSEMBLY 21"(53cm), NITRILE

GROUNDING REEL - Optional	
Part #	Description
211191	GROUNDING REEL, 50ft (15m), STAINLESS STEEL HOUSING & CABLE, WITH AIRCRAFT GROUNDING CLAMP
211191-SPE	GROUNDING REEL, 50ft (15m), STAINLESS STEEL HOUSING & CABLE, WITH BAYONET PLUG

MANUAL PUMP ASSEMBLY FOR MODELS EXP1-15/25 (TC) TE - Optional	
Part #	Description
212638	MANUAL PUMP ASSEMBLY WITH STAINLESS STEEL LID (25 GALLON)

MANUAL PUMP ASSEMBLY FOR MODEL EXP1-55 (TC) TE - Optional	
Part #	Description

212640	MANUAL PUMP ASSEMBLY WITH STAINLESS STEEL LID & GASKET FOR 55 GALLON TANK
--------	---

<b>AIR-OPERATED DIAPHRAGM PUMP ASSEMBLY - Optional</b>	
--	--

<b>Part #</b>	<b>Description</b>
211934	DIAPHRAGM PUMP ASSEMBLY WITH CART (INCLUDES NITRILE SUCTION AND DISCHARGE HOSES)

<b>MALE PLUG AND FEMALE RECEPTACLE - CLASS I - GROUP D AND CLASS II GROUPS F &amp; G - Optional</b>	
---	--

<b>Part #</b>	<b>Description</b>
211912	PLUG, EXPLOSION PROOF, 120V 15AMPS, MODEL UGP-15231QW, NEMA CONFIGURATION 5-15P
211913	RECEPTACLE EXPLOSION PROOF MODEL CRH ENR5201, 120V, 1PHASE, 15 & 20 AMPS