

ATEX

ATEX 3rd Party Certified
CE 0081 II 2GD
Ex d IIA T3 Gb
Ex t IIIC T200°C Db IP6X
LCIE 03 ATEX 6297



GUARANTEED for the Safe Recovery of Combustible/Conductive Dusts


ESD Safe Vacuum Systems for Hazardous Locations are designed to prevent ignition hazards. We use metal parts or Static Dissipative Powder Coating to prevent Electrostatic Discharge (ESD)



Characteristics



EX Certified



Less than 10 ohms



Dry Recovery



HEPA - Included



High Filtration Efficiency Unit



SD Accessories - Included



SS 304



Static Dissipating

- Legally certified explosion proof/dust ignition proof
- Less than 10 ohms of resistivity
- Electric
- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - included
- Lightweight and portable
- Low profile
- The smallest explosion proof canister vacuum system in the industry
- Easily transportable
- Same performance as any of our other larger models
- Includes a complete static dissipative tool kit

Specifications

EXP1-5 (4W) RE HEPA	111355B
Model Name	EXP1-5 (4W) RE HEPA
Type (Powerhead)	Electric
TEFC Motor	Yes
Voltage	230 V
Hertz	50 Hz
Phase	Single
Wattage	1000 W
Power	1 kW
Amperage	4.5 A
Air Flow	224 m ³ /h
Vacuum Pressure	1550 mm H ₂ O
Sound Level	78/85 dB(A)
Plug Type	Not Included
Suction Inlet	38 mm
Cart Type	4 Wheel Dolly (4W)
Filter Cleaning	None
Dry Recovery - Tank	12.9 L
Length	53 cm
Width	61 cm
Height	75 cm
Weight (Vacuum Only)	27 kg.
Cord Length	15 m

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



Ø1.5 (Ø38 mm) Static Dissipative Tools and Accessories - Included



HEPA Filter - Included



Main Cloth Filter, Static Dissipative - Included



Pre-Filter, Static Dissipative - Included